


Replaces Toro Z Master Commercial 4000 Parts



Zero Turn Mower with 48in Deck - Model 74000 Caster Wheel





Replaces Toro Z Master Commercial 4000 Parts



Zero Turn Mower with 48in Deck - Model 74000 Caster Wheel

R&R	OEM Part No	Description	Qty	Order Quantity			
		резсприон	Neq	Qualitity			
RTMT41011	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 139-3639, 140-4896	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2				
Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:							
RTMT73818	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 140-4896	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2				
radius mowers, and a which helps ensure the dampen the ride for a	completely eliminate the risi he mower deck produces an enhanced operator comfort	k of flat tires. They have a consistent hub h n even cut, while the poly-resin spokes help t, even when navigating over curbs and oth	eight				
RTMT40653		Michelin Spacer - 1/2in ID x 1in OD	4				
& Wheels							
TIRES		Click Here to View Complete Tire Selection	0				
r Parts Available							
R126-4312-01	126-4312-01	Fork - Caster	2				
R126-7796	126-7796	Caster Axle Assy	2				
	Part No. Inal Michelin Tweel 1 Inal Michelin Tweel 1 Inal Michelin Tweel 1 Inal Description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers, and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers and of which helps ensure the dampen the ride for bumps. They are description: Mandius mowers and of which helps ensure the dampen the ride for bumps. They are description the dampen the ride for bumps.	Part No. Part No. Inal Michelin Tweel Tires 109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 139-3639, 140-4896 Detail Description: Michelin X Tweel Turf casters radius mowers, and completely eliminate the ris which helps ensure the mower deck produces and dampen the ride for enhanced operator comfort bumps. They are designed to provide a long weat 109-9127, 126-7592, 126-7753, 127-9526, 127-9526, 127-9528, 127-9540, 139-3604, 140-4896 Detail Description: Michelin X Tweel Turf casters radius mowers, and completely eliminate the ris which helps ensure the mower deck produces and dampen the ride for enhanced operator comfort bumps. They are designed to provide a long weat dampen the ride for enhanced operator comfort bumps. They are designed to provide a long weat RTMT40653 & Wheels TIRES TIRES T Parts Available R126-4312-01	Part No. Description In al Michelin Tweel Tires 109-9127, 126-7592, 126-7593, 127-9526, Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in 127-9528, Smooth - 13x6.5N6 (5/8in 127-9540, Mount) 290 lb Max Load 139-3604, 139-3639, 140-4896 Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero to radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub in which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and oth bumps. They are designed to provide a long wear life.: 109-9127, 126-7592, 126-7753, Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in 127-9526, Grooved - 13x6.5N6 (5/8in 127-9528, Mount) 290 lb Max Load 139-3604, 139-3604, 140-4896 Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero to radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub in which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and oth bumps. They are designed to provide a long wear life: RTMT40653	Part No. Part No. Description Req India Michelin Tweel Tires 109-9127, 126-7753, 127-9526, Michelin X Tweel Turf Caster 127-9528, 139-3604, 139-3604, 139-3639, 140-4896 Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life: RTMT73818 109-9127, 126-7592, 126-7553, 127-9528, 127-9528, 127-9528, 127-9528, Mount) 290 lb Max Load 139-3604, 139-3604, 140-4896 Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life: RTMT40653 Michelin Spacer - 1/2in ID x 1in OD **Req** **Click Here to View Complete Tire Selection OD **Parts Available** **R126-4312-01 126-4312-01 Fork - Caster 2			

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Toro Z Master Commercial 4000 Parts



Zero Turn Mower with 48in Deck - Model 74000 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
72	R126-5220	126-5220	Axle-Caster	2	
73	R103-3051	103-3051	Spacer - Nut - Hardened	4	
74	R103-2768	103-2768	Guard - Seal	4	
75	R32128-23	32128-23, 3218-23, 99-5107	Nut - Lock Hex Flanged 1/2-13	2	
76	R3234-5	3234-5, 62-3310	Bolt - 5/16-18x3/4 Hx Ser Was HD	2	
77	R500534	1-633585	Bearing - with Cup	4	
	Detail Description: Kit incl	udes: 1 ea R254-78- Bearing	Cone & R254-79 Bearing Cone:		
78	R254-78	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	4	
79	R254-79	01-103-0060, 01-103-0130, 1-633584, 252-106, 254-79, 32-7800, 32-9590	Cup - Bearing	4	
	Detail Description: Use R2	54-79M installation mandre	l to properly install race.:		

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.