


## Replaces R&R Products Versa-Green 1860 Parts

Single Point Cutting Unit Front Rollers











| ro | ducts  | <b>1860 Parts</b><br>Single Point Cutting Unit<br>Front Rollers |   |            |                 |
|----|--|---|---|------------|-----------------|
|    | R&R<br>Part No.  | OEM<br>Part No.   | Description                                 | Qty<br>Reg | Orde<br>Quantit |
|    | Front Roller   |   | Description                                 | Neq        | Quantit         |
| 1  | R21-6440   | R11-8180,<br>R20-8950,<br>R23-5110,<br>R52-3170                 | Roller - Smooth Tubular Steel               | 1          |                 |
|    | Detail Description: This tubular steel roller uses greasable "water-pump" style bearings. :  |   |   |            |                 |
| 2  | R150340  |   | Roller - Smooth UHMW<br>Polyethylene        | 1          |                 |
|    | Detail Description: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:  |   |   |            |                 |
| 3  | R21-6540   |   | Roller - Grooved Repairable Steel           | 1          |                 |
|    | Detail Description: Constructed with greasable "water-pump" style bearings, this roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:   |   |   |            |                 |
| 4  | R88-6790   |   | Roller - Grooved Machined Solid<br>Aluminum | 1          |                 |
|    | Detail Description: Machined from solid aluminum, this light weight machined grooved roller<br>uses greasable "water-pump" style bearings.:  |   |   |            |                 |
| 5  | R52-3200   | R12-0840  | Roller - Grooved Machined Solid<br>Steel    | 1          |                 |
|    | Detail Description: Machined from solid steel, this heavy weight roller uses greasable "water-<br>pump" style bearings.:   |   |   |            |                 |
| 6  | R150335  |   | Roller - Grooved UHMW<br>Polyethylene       | 1          |                 |
|    | Detail Description: Machined from solid UHMW, this low maintenance roller rotates around a solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.: |   |   |            |                 |
| 7  | R21-6470   | R10-5000,<br>R52-3590   | Roller - Swaged Machined Solid<br>Aluminum  | 1          |                 |
|    | Detail Description: Constructed with "water-pump" style bearings, this roller is machined from   |   |   |            |                 |

| RPP  | & R<br>ducts   | Replaces R&R Pu<br>1860 Parts<br>Single Point Cutting Unit<br>Front Rollers  | roducts Versa-Green                 |            |                   |  |
|------|--|--|-------------------------------------|------------|-------------------|--|
|      | R&R<br>Part No.  | OEM<br>Part No.  | Description                         | Qty<br>Req | Order<br>Quantity |  |
| Over | haul Kits  |  |                                     |            |                   |  |
| 20   | R101395  |  | Overhaul Kit - UHMW Roller          | 1          |                   |  |
|      | Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.:<br>R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, &<br>R150334A Bronze Thrust Washers: |  |                                     |            |                   |  |
| 21   | R107-1588  |  | Overhaul Kit - Roller               | 1          |                   |  |
|      | Detail Descr   | iption: Includes 2 ea.: R302-5 Gı  | rease Fittings & R52-3180 Bearings: |            |                   |  |
| Othe | r Parts Avail  | able   |                                     |            |                   |  |
| 30   | R302-5   | R173-0,<br>R21-6010,<br>R255825,<br>R302-37,<br>R302-47,<br>R302-57,<br>R302-58,<br>R302-6,<br>R31-0300,<br>R32-9660,<br>R471214,<br>R471223,<br>R471226,<br>R60-0800,<br>R62-3880,<br>R92-4181,<br>RJD7797,<br>RJD7842,<br>RJD7844,<br>RM0004,<br>RZS48114-04 | Fitting - Grease                    | 6          |                   |  |
| 31   | R52-3180   | R21-6410   | Bearing - Front Roller              | 2          |                   |  |
| 31   | R52-3210   |  | Bearing - w/Milled Flat             | 2          |                   |  |
| 32   | R33-1000G  |  | Brush Assy                          | 1          |                   |  |
| 33   | R3219-1  | R01-158-0590,<br>R01-188-0428,<br>R14H860  | Nut - 1/4-28                        | 4          |                   |  |
| 33   | R3219-1  | R01-188-0428,  | Nut - 1/4-28                        | 4          |                   |  |



## Replaces R&R Products Versa-Green 1860 Parts



Single Point Cutting Unit Front Rollers

|    | R&R<br>Part No. | OEM<br>Part No.  | Description                   | Qty<br>Req | Order<br>Quantity |
|----|-----------------|--|-------------------------------|------------|-------------------|
| 34 | R11-0070G       |  | Comb - Assy - Green           | 1          |                   |
| 35 | R11-0069G       |  | Frame - Only Comb Assy-Green  | 1          |                   |
| 36 | R8-2530         |  | Comb - Urethane               | 1          |                   |
| 37 | R8-2520G        |  | Support - Comb - Green        | 1          |                   |
| 38 | R3249-3         |  | Screw - Comb                  | 11         |                   |
| 39 | R3296-9         | R32127-17  | Locknut - Comb                | 11         |                   |
| 40 | R3254-8         | R3   | Washer - Lock 1/4 Int Star Z  | 4          |                   |
| 41 | R150347T        | R150347  | Seal - Nonstick Lip           | 2          |                   |
| 42 | R150334A        |  | Washer - Thrust SAE660 Bronze | 2          |                   |
| 43 | R150333         | R150447  | Washer - Flat Keyed Outer SS  | 2          |                   |
| 44 | R3296-15        | 367029,<br>R1503473,<br>R32118-5,<br>R32127-23,<br>R32127-47,<br>R367029,<br>R445748,<br>RG-371,<br>RN101345 | Locknut - 3/4-16 Nylon Jam    | 2          |                   |