




# Replaces Toro Groundsmaster 4010-D Parts

Rotary Mower - Model 30636  
Planetary, Brake And Tire Assembly



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 4010-D Parts

Rotary Mower - Model 30636  
Planetary, Brake And Tire Assembly



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## Tires & Wheels

|   |              |  |                                                            |   |  |
|---|--------------|--|------------------------------------------------------------|---|--|
| 0 | <b>TIRES</b> |  | <a href="#">Click Here to View Complete Tire Selection</a> | 0 |  |
|---|--------------|--|------------------------------------------------------------|---|--|

|    |                  |                                   |                                                           |   |  |
|----|------------------|-----------------------------------|-----------------------------------------------------------|---|--|
| 40 | <b>RCT574377</b> | 119-8313,<br>126-8033,<br>99-5434 | Tire - 26x12.00-12 Nhs (6 Ply)<br>Carlisle Multi Trac C/S | 2 |  |
|----|------------------|-----------------------------------|-----------------------------------------------------------|---|--|

*Detail Description: The Carlisle Multi-Trac C/S tire is a professional-grade tire known for its durability, stability, and traction. With its contoured shoulder protection, deep tread lugs, and durable tread compound, this tire delivers reliable performance for ZTRs and professional-grade mowers. Whether you're maintaining a large property or operating a landscaping business, the Multi-Trac C/S tire is designed to meet the highest standards and provide optimal performance in any condition.:*

|    |                |                   |                     |   |  |
|----|----------------|-------------------|---------------------|---|--|
| 42 | <b>R232-27</b> | 232-27,<br>232-31 | Stem - Valve w/ Cap | 2 |  |
|----|----------------|-------------------|---------------------|---|--|

## Hoses

|    |                  |          |               |   |  |
|----|------------------|----------|---------------|---|--|
| 50 | <b>R115-4384</b> | 115-4384 | Hyd Hose Assy | 1 |  |
|----|------------------|----------|---------------|---|--|

## Other Parts Available

|    |                     |             |                 |   |  |
|----|---------------------|-------------|-----------------|---|--|
| 70 | <b>R100-3070-03</b> | 100-3070-03 | Brake Assy - LH | 1 |  |
|----|---------------------|-------------|-----------------|---|--|

|    |                     |             |                 |   |  |
|----|---------------------|-------------|-----------------|---|--|
| 70 | <b>R100-3069-03</b> | 100-3069-03 | Brake Assy - RH | 1 |  |
|----|---------------------|-------------|-----------------|---|--|

|    |               |       |                              |   |  |
|----|---------------|-------|------------------------------|---|--|
| 73 | <b>R340-9</b> | 340-9 | Fitting - Straight Connector | 4 |  |
|----|---------------|-------|------------------------------|---|--|

|    |                |        |        |   |  |
|----|----------------|--------|--------|---|--|
| 74 | <b>R237-58</b> | 237-58 | O-Ring | 8 |  |
|----|----------------|--------|--------|---|--|

|    |                |                              |        |   |  |
|----|----------------|------------------------------|--------|---|--|
| 75 | <b>R237-81</b> | 237-81,<br>237.81,<br>327-81 | O-Ring | 9 |  |
|----|----------------|------------------------------|--------|---|--|

|    |                |                    |               |    |  |
|----|----------------|--------------------|---------------|----|--|
| 77 | <b>R237-30</b> | 23-6320,<br>237-30 | O-Ring - Seal | 11 |  |
|----|----------------|--------------------|---------------|----|--|

|    |                |                    |        |   |  |
|----|----------------|--------------------|--------|---|--|
| 78 | <b>R237-42</b> | 237-42,<br>31-4160 | O-Ring | 8 |  |
|----|----------------|--------------------|--------|---|--|

|    |                 |         |                            |   |  |
|----|-----------------|---------|----------------------------|---|--|
| 79 | <b>R340-129</b> | 340-129 | Hydraulic Fitting - 90 Deg | 2 |  |
|----|-----------------|---------|----------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 4010-D Parts

Rotary Mower - Model 30636  
Planetary, Brake And Tire Assembly



| Item No | R&R Part No.      | OEM Part No.                                                                                        | Description                              | Qty Req | Order Quantity |
|---------|-------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------|---------|----------------|
| 80      | <b>R237-146</b>   | 237-146,<br>340-146                                                                                 | O-Ring                                   | 4       |                |
| 81      | <b>R340-65</b>    | 340-65                                                                                              | O-Ring                                   | 4       |                |
| 82      | <b>R340-148</b>   | 340-148                                                                                             | Fitting-Tee                              | 1       |                |
| 83      | <b>R353-989</b>   | 353-989                                                                                             | Plug - Hex - Hollow                      | 1       |                |
| 85      | <b>R33106-090</b> | 33106-090                                                                                           | Bolt - M12-1.75 x 90 Fl Hex HD<br>Gr 8.8 | 4       |                |
| 86      | <b>R33116-120</b> | 33116-120                                                                                           | Bolt - M12-1.75 x 120mm Hx<br>HD         | 4       |                |
| 87      | <b>R3256-26</b>   | 01-166-0540,<br>01-166-0820,<br>17-2530,<br>24-13-BD,<br>30-8570,<br>3256-26,<br>356206,<br>48-9390 | Washer - 1/2 in                          | 8       |                |
| 88      | <b>R340-94</b>    | 340-94                                                                                              | Adapter                                  | 2       |                |
| 89      | <b>R237-22</b>    | 107-8844,<br>237-22,<br>237-78                                                                      | O-Ring                                   | 6       |                |
| 91      | <b>R100-5530</b>  | 100-5530,<br>98-0657                                                                                | Hydraulic Fitting - 45 Deg               | 1       |                |
| 95      | <b>R340-142</b>   | 340-142,<br>95-1692                                                                                 | Hydraulic Fitting - 90 Deg               | 1       |                |
| 98      | <b>R354-79</b>    | 354-79                                                                                              | Cap-Dust                                 | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 4010-D Parts

Rotary Mower - Model 30636  
Planetary, Brake And Tire Assembly



| Item No | R&R Part No. | OEM Part No.                                                                                                    | Description                        | Qty Req | Order Quantity |
|---------|--------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------|---------|----------------|
| 100     | R400408      | 01-150-0090,<br>01-178-0812,<br>20-87-AD,<br>20-87-AGD,<br>20-87-AGF,<br>3226-2,<br>325-6,<br>513376,<br>513378 | Bolt - Hex HD 1/2-13 x 1-1/2       | 8       |                |
| 101     | R32128-23    | 32128-23,<br>3218-23,<br>99-5107                                                                                | Nut - Lock Hex Flanged 1/2-13      | 8       |                |
| 103     | R340-4       | 340-4                                                                                                           | Hydraulic Fitting - Male Connector | 2       |                |
| 106     | R340-98      | 340-98                                                                                                          | Hydraulic Fitting                  | 3       |                |
| 107     | R340-77      | 340-100,<br>340-77,<br>95-7889                                                                                  | Hydraulic Fitting                  | 1       |                |
| 109     | R99-3017     | 99-3017                                                                                                         | Fitting                            | 1       |                |
| 111     | R323-42      | 01-178-0630,<br>323-42                                                                                          | Bolt - Hx HD 3/8-16 x 3 3/4        | 1       |                |
| 113     | R322-3       | 01-150-1420,<br>01-178-0506,<br>20-24-AD,<br>20-24-AGD,<br>322-3,<br>48-9270,<br>513339,<br>908017P             | Bolt - Hex HD 5/16-18 x 3/4        | 2       |                |
| 114     | R120-8899    | 120-8899                                                                                                        | Cable - Brake - LH                 | 1       |                |
| 115     | R120-8898    | 120-8898                                                                                                        | Cable - Brake - RH                 | 1       |                |
| 116     | R59-7410     | 59-7410                                                                                                         | Tip-Nipple                         | 1       |                |
| 117     | R242-50      | 242-50                                                                                                          | Nut - 1/2-20 Wheel                 | 16      |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Groundsmaster 4010-D Parts

*Rotary Mower - Model 30636  
Planetary, Brake And Tire Assembly*



| Item No | R&R Part No.     | OEM Part No.                                               | Description                    | Qty Req | Order Quantity |
|---------|------------------|------------------------------------------------------------|--------------------------------|---------|----------------|
| 118     | <b>R237-79</b>   | 237-79                                                     | O-Ring                         | 10      |                |
| 119     | <b>R340-2</b>    | 340-2,<br>60-1920                                          | Hydraulic Fitting - Striaght   | 1       |                |
| 120     | <b>R340-101</b>  | 340-101                                                    | Hydraulic Fitting              | 2       |                |
| 121     | <b>R104-8301</b> | 104-8301,<br>104-9301,<br>109-6658,<br>133-7570            | Locknut - 3/8-16 Nylon Flanged | 1       |                |
| 122     | <b>R110-6006</b> | 110-6006                                                   | Clevis Pin                     | 2       |                |
| 123     | <b>R353-990</b>  | 353-990                                                    | Plug                           | 5       |                |
| 124     | <b>R325-13</b>   | 01-178-0826,<br>20-94-AGD,<br>325-13,<br>325-26,<br>Jul-52 | Bolt - Hex HD 1/2-13 x 3-1/4   | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.